

Company: Scolmore International Limited
Declares that under our sole responsibility the product(s)

Product Name: Powerlead

Description: C14 Dual Lock to C13 IEC Lock+ Small Connector 3G (1.00mm² H05VV-F / 17AWG SJT)
Universal Cable White - 0.5 Metre

Product Reference(s): PC3606

is/are in conformity with the provisions of the following statutory requirements, including all amendments, and with national legislation implementing these regulations:

UK SI 2016 No. 1101 The Electrical Equipment (Safety) Regulations 2016
UK SI 2012 No. 3032 Restriction of the use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations

The following designated standards have been applied:

IEC /BS EN 60320-1:2015	Appliance couplers for household and similar general purposes - Part 1: General requirements
IEC /BS EN 60320-3:2014	Appliance couplers for household and similar general purposes - Part 3: Standard sheets and gauges
UL 60320-1	Appliance Couplers For Household And Similar General Purposes - Part 1: General Requirements
UL 60320-3	Appliance couplers for household and similar general purposes - Part 3: Standard sheets and gauges
CSA C22.2 60320-1-11	
CSA C22.2 60320-3	Appliance couplers for household and similar general purposes - Part 3: Standard sheets and gauges
AS/NZS 60320-1: 2012	Appliance couplers for household and similar general purposes - Part 1: General requirements
AS/NZS 60320-3: 2014	Appliance couplers for household and similar general purposes - Part 1: General requirements
AS/NZS 60227.5: 2003 including amendment 1.	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V - Flexible cables (cords): Amendment 1
BS EN 50525-2-11	Electric cables. Low voltage energy cables of rated voltages up to and including 450/750V (U0/U) - Cables for general applications. Flexible cables with thermoplastic PVC insulation
UL62	UL Standard for Safety Flexible Cords and Cables
UL 1581	UL Standard for Safety Reference Standard for Electrical Wires, Cables, and Flexible Cords
C22.2, No. 49	Flexible Cords and Cables

In conjunction with the above all manufacture and process controls are in accordance with ISO 9001: 2015.

This declaration has been issued under the sole responsibility of the manufacturer, signed at, for and on behalf of:
Scolmore International Limited.



Karl Rawlins - Technical Author

Date: 19 April 2022

Place of Issue: As Below



Company: Scolmore International Limited
Declares that under our sole responsibility the product(s)

Product Name: Powerlead

Description: C14 Dual Lock to C13 IEC Lock+ Small Connector 3G (1.00mm² H05VV-F / 17AWG SJT)
Universal Cable White - 0.5 Metre

Product Reference(s): PC3606

are / is in conformity with the provisions of the following EU directives and regulations, including all amendments, and with national legislation implementing these directives:

2014/35 (EU)	The Electrical Equipment (Safety) Regulations
2011/65 (EU) & 2015/863 (EU)	Restriction of the use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations
1907/2006 (EU)	Registration, Evaluation, Authorisation and Restriction of Chemicals 2021 REACH - SVHC 223 (<0.1%)

The following designated standards have been applied:

IEC /BS EN 60320-1:2015	Appliance couplers for household and similar general purposes - Part 1: General requirements
IEC /BS EN 60320-3:2014	Appliance couplers for household and similar general purposes - Part 3: Standard sheets and gauges
UL 60320-1	Appliance Couplers For Household And Similar General Purposes - Part 1: General Requirements
UL 60320-3	Appliance couplers for household and similar general purposes - Part 3: Standard sheets and gauges
CSA C22.2 60320-1-11	Appliance couplers for household and similar general purposes - Part 3: Standard sheets and gauges
CSA C22.2 60320-3	
AS/NZS 60320-1: 2012	Appliance couplers for household and similar general purposes - Part 1: General requirements
AS/NZS 60320-3: 2014	Appliance couplers for household and similar general purposes - Part 1: General requirements
AS/NZS 60227.5: 2003 including amendment 1.	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V - Flexible cables (cords): Amendment 1
BS EN 50525-2-11	Electric cables. Low voltage energy cables of rated voltages up to and including 450/750V (U0/U) - Cables for general applications. Flexible cables with thermoplastic PVC insulation
UL62	UL Standard for Safety Flexible Cords and Cables
UL 1581	UL Standard for Safety Reference Standard for Electrical Wires, Cables, and Flexible Cords
C22.2, No. 49	Flexible Cords and Cables

In conjunction with the above all manufacture and process controls are in accordance with ISO 9001: 2015.

This declaration has been issued under the sole responsibility of the manufacturer, signed at, for and on behalf of: Scolmore International Limited.

Karl Rawlins - Technical Author

Date: 19 April 2022

Place of Issue: As Below

